International Journal of Arts, Sports, and Leisure Studies
ISSN: 3139-2709
Frequency: Bi-Monthly
Published By RGA Research Publications
Journal Homepage Link- https://rgaresearch.com/ijasls/
Vol – 1 Issue – 5 September- October 2026 ***PP: - 04-07***



Publication Tale: A Multi-Scale Review on Stress, Cellular Remodeling, and Educational Vitality

By

Okwute Michael Ochayi, PhD
Department of Physiology, Faculty of Basic Medical Sciences, Baze University, Abuja, Nigeria.

Received: 17/10/2026 **Accepted: 25/10/2026** **Published: 28/09/2026**

Abstract
Physiological stress operates as an interconnected continuum, extending from sub-organellar macromolecular rearrangements to whole-organism behavioral adaptations, clinical profiles, and macro-systemic public health dynamics. Historically studied within compartmentalized domains, contemporary physiological paradigms require a multi-scale synthesis to trace how environmental, oxidative, and metabolic pressures alter structural architecture and drive functional decline. This narrative review establishes a unified framework linking experimental stress paradigms, cytoprotective nutritional and phytotherapeutic interventions, state-of-the-art high-resolution mitochondrial morphometry, and systemic biomarkers. Furthermore, it details how these foundational physiological principles translate directly into systemic interventions within medical education and broader public health structures, demonstrating that biological resilience can be systematically mapped and optimized across all levels of organization.

Keywords: Stress, mitochondrial, education, publication tale

1. Experimental Stress Paradigms and Neurological/Cognitive Consequences

Characterizing the complex cascades through which external environmental pressures translate into precise neurobiological strain requires highly standardized, reproducible animal models. Within physiological and neurobehavioral research, a variety of experimental frameworks—including physical immobilization, acoustic disruption, and gestational challenges—have been developed to evaluate psychoneuroendocrinology, blood-brain barrier integrity, and localized tissue pathology (Ochayi and Anyaehie, 2021). Physical immobilization models, particularly restraint stress paradigms, act as critical operational baselines for investigating severe systemic and neurobehavioral changes (Ochayi et al., 2015; Ochayi and Anyaehie, 2021). Exposure to these stress paradigms directly stimulates the hypothalamic-pituitary-adrenal (HPA) axis, inducing a dramatic neuroendocrine shift that manifests overtly as heightened anxiety-like behavior, decreased exploratory drive, and significant alterations in systemic indices (Ochayi et al., 2015).

At the macro-behavioral and cognitive levels, these environmental and physical stressors correlate with measurable cognitive decline and neuroanatomical vulnerabilities. Chronic and acute exposure to severe ambient noise paradigms induces rapid cognitive deterioration across various stages of development. In young, developing organisms, acute noise exposure triggers rapid cognitive deficits that are directly linked to accelerated lipid peroxidation and sudden metabolic changes within central nervous system tissues (Hamidu et al., 2024).

When environmental stress is applied during critical gestational windows, the resulting cognitive and behavioral impairments persist across generations. Pregnant dams subjected to continuous restraint or noise stressors exhibit marked reductions in spatial orientation and cognitive stability (Ochayi et al., 2022a). This maternal distress severely disrupts downstream fetal neurodevelopment. The resulting offspring exhibit pronounced cognitive impairments in early and late development, as demonstrated by lower percentage alternation scores in Y-maze tasks and a significantly reduced discrimination index during novel-object recognition assessments (Ochayi et al., 2022b; Ochayi et al., 2023). These behavioral deficits are accompanied by observable cellular changes within the cerebral cortex and hippocampal formations, validating the long-term neurodevelopmental risks associated with prenatal oxidative and ambient stress.

2. Oxidative Stress Biomarkers and Phytotherapeutic/Nutritional Interventions

The core subcellular driver of stress-induced tissue degeneration is oxidative stress, a pathological state characterized by an imbalance between the generation of reactive oxygen species (ROS) and the neutralizing capacity of endogenous antioxidant defense systems. Prolonged physical restraint and harsh environmental conditions compromise cellular defenses by depleting key antioxidant enzymes, including superoxide dismutase (SOD), catalase, and reduced glutathione (GSH) (Ochayi et al., 2021). This enzymatic depletion allows unmitigated ROS production to attack cellular membranes, causing widespread lipid peroxidation. This damage is reflected by sharp increases in malondialdehyde (MDA) levels across multiple organ systems (Ochayi et al., 2021). This sustained oxidative state inflicts broad systemic damage. Reproductive

Copyright © 2026, Authors retain copyright. Licensed under the Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. https://creativecommons.org/licenses/by/4.0/ (CC BY 4.0 deed)

physiology is particularly vulnerable; prolonged environmental and restraint stress, especially when exacerbated by seasonal microclimates such as hot-humid periods, induces severe structural and functional deterioration in reproductive parameters [Ochayi et al., 2020]. These changes manifest as altered sperm profiles, marked decreases in sperm concentration, reduced forward motility, and increased structural abnormalities (Ochayi et al., 2017; Ochayi et al., 2020). To counteract these degenerative oxidative cascades, researchers have extensively investigated targeted nutritional and phytotherapeutic protocols for their cytoprotective capabilities: Trace Minerals and Vitamin Co-Administration: Combined dietary interventions using vitamin E and selenium yeast provide robust protection against systemic oxidative stress. Acting as key biological cofactors, this combination stabilizes hematological parameters, maintains cellular membrane integrity, and reduces free radical accumulation (Ochayi et al., 2021). These micro-nutritional interventions effectively alleviate anxiety-like behaviors, protect sperm motility, and preserve overall reproductive function in models of physical restraint (Ochayi et al., 2015; Ochayi et al., 2017). Furthermore, maternal supplementation with vitamin E and selenium yeast provides significant neuroprotective benefits to the fetus, preserving spatial learning and cognitive performance in prenatally stressed offspring (Ochayi et al., 2022a; Ochayi et al., 2023). Targeted Botanical Extracts: Plant-derived compounds possess complex chemical profiles capable of mitigating severe chemical, metabolic, and environmental toxicities. For instance, aqueous extracts of Salacia reticulata provide strong neuroprotection in the cerebral cortex, neutralizing aluminum chloride-induced neurotoxicity and preventing downstream cellular degeneration (Ochayi and Godman, 2022). In gastrointestinal pathology, Triticum aestivum (wheatgrass) extracts exert significant anti-inflammatory and antioxidant effects in vivo and in silico, protecting mucosal tissue structure in models of acute ulcerative colitis (Grace et al., 2022). Additionally, specific flavonoid fractions isolated from Hibiscus sabdariffa modulate neuroendocrine pathways, effectively lowering serum aldosterone levels and reducing systemic blood pressure in hypertensive models (Madueke et al., 2024). In metabolic physiology, flavonoid and saponin extracts from Gongronema latifolium protect developing offspring from metabolic dysfunction and subsequent tissue stress caused by maternal sucrose overconsumption during lactation (Okokwu et al., 2024).

Conversely, synthetic exogenous pharmacological interventions can inadvertently induce metabolic and tissue strain if misused or administered over extended periods. For example, the prolonged use of oral emergency contraceptives, such as Postinor-2 (levonorgestrel) and Norinyl-1/35, can significantly alter hepatic enzyme profiles, highlighting the narrow therapeutic windows that govern metabolic homeostasis (Abah et al., 2024).

3. Subcellular Architecture, Organelle Remodeling, and Mitochondrial Dynamics in Aging

As the field of physiology transitions from tissue-level observations to advanced structural biology, high-resolution microscopy has become indispensable for mapping cellular aging and organelle decline [Katti et al., 2026a]. Mitochondria, the core engines of cellular energy production and oxidative regulation, undergo extensive structural remodeling in response to chronological aging and chronic metabolic stress. Advanced volume electron microscopy (volume EM), serial block-face scanning electron microscopy (SBF-SEM), and correlative light-electron microscopy (CLEM) demonstrate that sub-organellar architectural integrity directly dictates macroscopic metabolic capacity (Katti et al., 2026a)

During the cellular aging process, crucial sub-organellar structural scaffolds undergo highly predictable degradation:

The MICOS Complex: The mitochondrial inner membrane organizing system (MICOS) regulates cristae junctions, inner membrane architecture, and crucial biochemical interactions with the outer membrane. Age-dependent dysregulation of the MICOS complex causes structural deficits, reduces cristae surface area, and drives oxidative stress within renal tissues [Katti et al., 2026b]. Similarly, in hepatic systems, age-related MICOS complex dysregulation impairs three-dimensional mitochondrial architecture, disrupting systemic metabolic homeostasis and accelerating liver tissue aging (Masenga et al., 2024). Mitofusin-2 (MFN2) and Fusion Kinetics: Aging also fundamentally alters the proteins responsible for organelle fusion and fission. Disruptions in Mitofusin-2 (MFN2) lead to severe structural fragmentation within the three-dimensional mitochondrial networks of aging skeletal muscle, directly contributing to age-related sarcopenia and functional decline (Scudese et al., 2025).

Adipocyte and Muscular Stress Responses: Aging drives extensive organelle remodeling and unique cellular stress pathways within adipose tissues [Ameka et al., 2026]. At the transcriptomic level, these complex structural adaptations in aging skeletal muscle are strictly coordinated by stress-responsive elements, such as Activating Transcription Factor 4 (ATF4), which attempts to rescue cellular function and maintain metabolic survival amidst ongoing organelle fragmentation (Crabtree et al., 2026).

4. Macrosystemic Physiology: Cardiovascular, Respiratory, and Metabolic Profiles

Subcellular structural adaptations and organellar breakdown eventually accumulate to alter macroscopic clinical phenotypes and systemic functional profiles. In genetic disease models, such as the 5xFAD murine model of Alzheimer's disease, the progression of neurodegenerative pathology is accompanied by distinct changes in baseline cardiovascular parameters, demonstrating the tight connection between neurological health and autonomic cardiovascular regulation (Marshall et al., 2025). In human populations, tracking these macrosystemic biomarkers provides valuable insight into physiological adaptation, athletic conditioning, and clinical vulnerability. For example, systematic electrocardiographic (ECG) and echocardiographic screenings are highly effective at distinguishing normal physiological cardiac remodeling (such as "athlete's heart") from underlying pathological conditions in elite athletes, including national football players (Ngabea et al., 2025). Similarly, monitoring respiratory function through accessible diagnostic tests offers critical data regarding immediate physiological performance. Measuring the peak expiratory flow rate (PEFR) during practical physiology evaluations serves as an effective method for tracking respiratory capacity, determining overall physical fitness, and observing acute physiological changes within specific educational cohorts (Ochayi et al., 2024).

Copyright © 2026, Authors retain copyright. Licensed under the Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. https://creativecommons.org/licenses/by/4.0/ (CC BY 4.0 deed)

5. Socio-Behavioral Dynamics: Medical Education, Vitality, and Public Health

The study of physiological stress and performance extends beyond laboratory settings into complex academic and social environments. Just as physical stressors drain cellular energy reserves, intense academic pressure and psychosocial stressors severely affect human performance and emotional vitality. Within medical and nursing programs, students face exceptional psychological demands that can impair academic performance and deplete subjective vitality (Eleje et al., 2024a). To counter this academic strain, multi-institutional trials have evaluated structured behavioral interventions. Implementing intra-class peer mentorship programs has proven highly effective at boosting the positive feeling of physical and mental energy among struggling preclinical medical students (Eleje et al., 2024b). These protocols significantly improve school engagement, elevate subjective vitality scores, and help students overcome academic difficulties (Eleje et al., 2024a). Ultimately, these supportive environments translate into measurable academic success, significantly improving the performance of underperforming students on standardized professional examinations (Eleje et al., 2025). Finally, the broader public health sector relies on understanding how socio-behavioral dynamics influence community well-being and systemic health resilience. This is clearly demonstrated by large-scale public health surveys regarding infectious diseases, such as COVID-19. Tracking community knowledge, attitudes, practices, and associated social stigmas is essential for designing effective communication strategies, overcoming public health challenges, and building long-term community resilience (Danborno et al., 2021).

6. Conclusion

Synthesizing these diverse fields reveals that human health and physiological performance depend on a continuous cascade of multi-scale feedback loops. Environmental and psychosocial stressors trigger intracellular oxidative pathways, disrupting crucial mitochondrial architecture and organelle networks. These subcellular structural changes then manifest as altered cardiovascular, respiratory, and cognitive profiles at the macro-organismal level. Fortunately, targeted nutritional, phytotherapeutic, and structured socio-behavioral peer interventions can interrupt this degenerative cycle. Implementing these multidisciplinary strategies helps preserve organelle structure, restore systemic balance, and enhance performance and vitality from the single cell to the classroom.

References

1. Abah, E. D., Ochayi, O. M., & Madueke, S. (2024). Impact of prolonged use of Postinor-2 and Norinyl-1/35 on hepatic enzyme levels in female Wistar rats: a biochemical assessment. Biological Sciences, 4(2).
2. Ameka, M., Mukunda, S. G., Wandira, N., Ochayi, O. M., Ganesh, M., Venkhatesh, P., ... & Hinton, A. (2026). Adipocyte stress responses and organelle remodeling in aging: A narrative review. Aging Advances.
3. Crabtree, A., Khan, M. M., Scudese, E., Perez, C. P. H., Venkhatesh, P., Ochayi, O. M., … Hinton, A. O., Jr. (2026). ATF4 coordinates transcriptomic and structural adaptations in aging muscle. bioRxiv.
4. Danborno, A. M., Ogbe, S. O., Mallo, M. J., Toryila, J. E., Shafe, M. O., Ochayi, M. O., & Danborno, B. (2021). Knowledge, attitude, practice and stigma related to COVID-19: a Nigerian perspective. Nigerian Journal of Physiological Sciences.
5. Eleje, G. U., Ikwuka, D. C., Nwosu, K. C., Eleje, L. I., ... Ochayi, O. M., ... & Nwobodo, E. O. (2025). Effects of an intra-class peer mentorship intervention programme on the academic performance of academically underperforming medical students in Nigeria. BMC Medical Education, 25(1), 135.
6. Eleje, G. U., Ikwuka, D. C., Nwosu, K. C., Eleje, L. I., Sani, N., Niyoyita, J. P., Ochayi, O. M., & Nwobodo, E. O. (2024a). Improving struggling medical and nursing students' subjective vitality, school engagement and academic performance through a peer mentorship intervention programme: an intervention protocol. BMC Medical Education, 24(1), 1144.
7. Eleje, G. U., Ikwuka, D. C., Nwosu, K. C., Eleje, L. I., Sani, N., Niyoyita, J. P., Ochayi, O. M., & Nwobodo, E. O. (2024b). Exploring the positive feeling of physical and mental energy among struggling preclinical medical students in Nigeria: a pilot observational study. International Journal of Research and Innovation in Social Science, 8(3s), 4610–4622.
8. Grace, A. G., Usman, M. A., Ochayi, M. O., Adams, M. D., Umar, H. D. A., Obalum, C. D., … Onwuchekwa, C. (2022). Elucidating the antioxidant and anti-inflammatory potentials of Triticum aestivum against ulcerative colitis: an in vivo and in silico study. Phytomedicine Plus, 2(4), 100350.
9. Hamidu, L. J., Yakubu, A., & Ochayi, O. M. (2024). Effects of acute noise stress on cognitive performance and lipid peroxidation in young Wistar rats. African Journal of Biomedical Research, 27(2), 415–420.
10. Katti, P., Venkhatesh, P., Nivedya, C., Marshall, A., Crabtree, A., Ochayi, O. M., … Hinton, A., Jr. (2026a). Microscopy in mitochondrial research – a comprehensive review. Journal of Cell Science, 139(6), jcs263933.
11. Katti, P., Prasad, P., Masenga, S. K., Venkhatesh, P., Vue, Z., Ochayi, O. M., … Hinton, A., Jr. (2026b). The MICOS complex regulates mitochondrial structure and oxidative stress during age-dependent structural deficits in the kidney. Aging Cell, 25(5), e70534.
12. Madueke, S. P., Nwachukwu, D. C., Ubom, R., Okafor, O., Ochayi, O. M., Ojikah, O. I., & Katchy, U. (2024). Flavonoids from Hibiscus sabdariffa reduce serum aldosterone levels of hypertensive male Wistar rats. International Journal of Medicine and Health Development, 29(1), 10–16.
13. Marshall, A. G., Stephens, D., Neikirk, K., Masenga, S. K., Shao, B., Ochayi, O. M., … Reddy, A. K. (2025). Alterations in cardiovascular parameters in the 5xFAD murine model. Cell Biochemistry and Function, 43(11), e70138.

Copyright © 2026, Authors retain copyright. Licensed under the Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. https://creativecommons.org/licenses/by/4.0/ (CC BY 4.0 deed)

14. Masenga, S. K., Murphy, A., Venkhatesh, P., Vue, Z., Kadam, A., Ochayi, O. M., … Hinton, A., Jr. (2024). Age-related MICOS complex dysregulation impairs mitochondrial 3D architecture and metabolic homeostasis in the liver. bioRxiv, 2024.06.
15. Ngabea, M. A., Oboirien, I. O., & Ochayi, O. M. (2025). Pattern of electrocardiographic and echocardiographic findings amongst Nigeria national football team players. Nigerian Medical Journal, 66(2).
16. Ochayi, O. M., Akinlade, B., Ikemefuna, N., Baba, Z. M., Nwankwo, M., & Madueke, S. (2024). Evaluation of peak expiratory flow rate among medical students during physiology practical. Nigerian Journal of Physiological Sciences, 39(2), 317–319.
17. Ochayi, O. M., Obalum, D. C., Ngabea, M. A., Hamidu, L. J., Nweke, M. L., Abi, I., Ojikah, O. I., Iyare, E., & Anyaehie, B. (2023). Effects of vitamin E and selenium yeast on cognitive performance of pups whose dams were subjected to prenatal noise stress. Scientific African, 21, e01788.
18. Ochayi, O. M., Anyaehie, B., Iyare, E., & Ngabea, M. (2022a). Effects of vitamin E and selenium-yeast on cognitive performance in pregnant dams using percentage alternation and discrimination index determinants. Ulutas Medical Journal.
19. Ochayi, O. M., Anyaehie, B., Iyare, E., Haruna, D. A. U., & Ivang, A. E. (2022b). Effect of selenium-yeast on cognitive performance of pregnant dams exposed to noise stress. Annual Research & Review in Biology, 69–74.
20. Ochayi, O. M., & Godman, E. T. (2022). Effect of aqueous extract of Salacia reticulata on aluminium chloride-induced cellular changes in the cerebral cortex of Wistar rats. Electronic Journal of Medical and Educational Technologies, 15(2).
21. Ochayi, O. M., & Anyaehie, B. (2021). A review of stress paradigms used in physiological research. Israa University Journal for Applied Science.
22. Ochayi, O. M., Manjak, R. Y., Ochai, E. E., & Oyeniran, O. I. (2021). Selenium-yeast administration ameliorates alterations in haematological and oxidative stress parameters of Wistar rats subjected to restraint stress. Journal of Research in Medical and Dental Sciences, 9(3), 171–176.
23. Ochayi, O. M., Enyaje, O. E., Adamu, H., Haruna, D. U., & Nantim, D. A. (2020). Hot-humid season restraint stress duration on sperm indices and oxidative biomarkers in rats. World Journal of Biology, Pharmacy and Health Sciences, 2(2), 40–46.
24. Ochayi, M. O., Onuche, A. D., Tende, J. A., & Abah, I. (2017). Effect of vitamin E pre-treatment on sperm motility, concentration and oxidative stress markers of restrained male Wistar rats. Nigerian Journal of Scientific Research, 16(3), 383–387.
25. Ochayi, M. O., Ayo, J. O., Adelaiye, A. B., Ivang, A., & Manjak, R. Y. (2015). Effects of selenium yeast on anxiety-like behaviours and oxidative stress biomarkers of restrained male Wistar rats. Annals of Medical and Biomedical Sciences, 2(1), 28–34.
26. Okokwu, C. N., Anyaehie, B. U., Ikwuka, D. C., Katchy, A., & Ochayi, O. M. (2024). Metabolic consequences of flavonoid and saponin extracts from Gongronema latifolium leaves in offspring of rats that consumed sucrose during lactation. International Journal of Health Sciences, 18(1), 4.
27. Scudese, E., Marshall, A. G., Vue, Z., Exil, V., Rodriguez, B. I., Ochayi, O. M., … Hinton, A. (2025). 3D mitochondrial structure in aging human skeletal muscle: insights into MFN2-mediated changes. Aging Cell, 24(7), e70054.

Copyright © 2026, Authors retain copyright. Licensed under the Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. https://creativecommons.org/licenses/by/4.0/ (CC BY 4.0 deed)